



# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/6

## Customcote (R) binder [NA]

Revision 4  
Revision date 2020-01-03

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	Customcote (R) binder [NA]
--------------	----------------------------

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Description	Foundry material.
-------------	-------------------

#### 1.3. Details of the supplier of the safety data sheet

Company	Ransom & Randolph
Address	3535 Briarfield Boulevard, PO Box 1570 Maumee, Ohio 43537 USA
Web	www.ransom-randolph.com
Telephone	+1 (419) 865-9497
Fax	+1 (419) 865-9997
Email	RR.SDS@dentsply.com
Email address of the competent person	RR.SDS@dentsply.com

#### 1.4. Emergency telephone number

Emergency telephone number	USA +1 419 865 9497
Company	Ransom & Randolph Co. 08:00-17:00 (US Eastern Std. / GMT minus 5)

### SECTION 2: Hazards identification

#### 2.2. Label elements

Precautionary Statement:	This substance / mixture has been classified in accordance with the US Federal OSHA Hazard Communication Standard 29CFR 1910.1200. Substance concentration band-ranges are presented, and minor ingredient composition may be withheld, to protect trade secrets.
Prevention	P262 - Do not get in eyes, on skin, or on clothing. Wear suitable gloves and eye/face protection.
Hazard Statement	No Significant Hazard

#### 2.3. Other hazards

Other hazards	Portions of the amorphous silica may be converted to crystalline silica (cristobalite) when subjected to higher temperatures (1700° F / 927° C), such as when used in a mold for ferrous and other high temperature alloy castings. The exposure to crystalline silica is highest at the mold knockout stage of the casting process.  Avoid breathing dust/fume/gas/mist/vapours/spray.  Exposure to respirable crystalline silica may cause lung disease and cancer.
---------------	---

#### Further information

	Based on available data, the classification criteria are not met. PBT and vPvB assessment.
--	--

### SECTION 3: Composition/information on ingredients

# Customcote (R) binder [NA]

Revision 4  
Revision date 2020-01-03

## 3.2. Mixtures

### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
silica (amorphous)		7631-86-9	231-545-4		20 - 30%	
proprietary blend of fragrances					0 - 0.5%	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Muta. 2: H341; Carc. 2: H351; Repr. 2: H361;

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash with soap and water.
Ingestion	Drink 1 to 2 glasses of water. DO NOT INDUCE VOMITING.

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
Ingestion	May cause irritation to mucous membranes.

### 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention if irritation or symptoms persist.
Eye contact	Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Seek medical attention if irritation or symptoms persist.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
--	---

### 5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

### 5.3. Advice for firefighters

	Self-contained breathing apparatus. Wear suitable protective clothing.
--	--

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

	Wear suitable protective equipment.
--	-------------------------------------

### 6.2. Environmental precautions

	Do not allow product to enter drains.
--	---------------------------------------

### 6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Transfer to suitable, labelled container.
--	--

### 6.4. Reference to other sections

	See section [2, 8 & 13] for further information.
--	--

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

# Customcote (R) binder [NA]

Revision 4  
Revision date 2020-01-03

## 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Do NOT allow to freeze. Keep in a cool, dry, well ventilated area. Keep containers tightly closed.

## 7.3. Specific end use(s)

Foundry material.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

exposure limits - Crystalline Silica, Cristobalite - 0.025 mg/m<sup>3</sup> TWA ACGIH TLV (respirable fraction); 50 ug/m<sup>3</sup> 8-hr TWA PEL (respirable fraction).

exposure limits - Silica, vitreous (fused, amorphous) 80 mg/m<sup>3</sup> / (% Silica), TWA PEL (respirable fraction).

### 8.2. Exposure controls



#### 8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

#### 8.2.2. Individual protection measures

Apron (Plastic or rubber).

#### Eye / face protection

In case of splashing, wear: Approved safety goggles.

#### Skin protection - Handprotection

Wear suitable gloves.

#### Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid
<b>Colour</b>	Cream
<b>Odour</b>	Characteristic
<b>pH</b>	10.6
<b>Freezing Point</b>	≈ 0 °C
<b>Initial boiling point</b>	≈ 100 °C
<b>Flash point</b>	Not applicable.
<b>Evaporation rate</b>	No data available
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Vapour pressure</b>	No data available
<b>Vapour density</b>	No data available
<b>Relative density</b>	1.14 (H <sub>2</sub> O = 1 @ 20 °C)
<b>Fat Solubility</b>	Not applicable.
<b>Partition coefficient</b>	No data available
<b>Autoignition temperature</b>	Not applicable.
<b>Viscosity</b>	10
<b>Explosive properties</b>	Not applicable.
<b>Oxidising properties</b>	Not applicable.
<b>Solubility</b>	Miscible in water

### 9.2. Other information

# Customcote (R) binder [NA]

Revision 4  
Revision date 2020-01-03

## 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	Not applicable.
Benzene Content	Not applicable.
Lead content	Not applicable.
VOC (Volatile organic compounds)	Not applicable.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

	Not applicable.
--	-----------------

### 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

### 10.3. Possibility of hazardous reactions

	No Significant Hazard.
--	------------------------

### 10.4. Conditions to avoid

	Direct sunlight. Do NOT allow to freeze.
--	--

### 10.5. Incompatible materials

	Avoid contact with: Sodium chloride.
--	--------------------------------------

### 10.6. Hazardous decomposition products

	None.
--	-------

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	May cause irritation to eyes.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT-single exposure	Based on available data, the classification criteria are not met.
STOT-repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Repeated or prolonged exposure	May cause irritation to skin.

#### 11.1.4. Toxicological Information

Customcote (R) binder [NA]	Oral Rat LD50: > 15gm/kg
----------------------------	--------------------------

## SECTION 12: Ecological information

### 12.1. Toxicity

Customcote (R) binder [NA]	Daphnia EC50/48h: 7600.000 mg/l	Fish LC50/96h: 5000.000 mg/l
----------------------------	---------------------------------	------------------------------

### 12.2. Persistence and degradability

	No data is available on this product.
--	---------------------------------------

### 12.3. Bioaccumulative potential

# Customcote (R) binder [NA]

Revision 4  
Revision date 2020-01-03

## 12.3. Bioaccumulative potential

Does not bioaccumulate.

## Partition coefficient

Customcote (R) binder [NA] No data available

## 12.4. Mobility in soil

Not determined.

## 12.5. Results of PBT and vPvB assessment

Not applicable.

## 12.6. Other adverse effects

Not applicable.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Dispose of in compliance with all. local and national regulations.

### Disposal methods

Contact a licensed waste disposal company.

### Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.

## SECTION 14: Transport information

### 14.1. UN number

The product is not classified as dangerous for carriage.

### 14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

### 14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

### 14.4. Packing group

The product is not classified as dangerous for carriage.

### 14.5. Environmental hazards

The product is not classified as dangerous for carriage.

### 14.6. Special precautions for user

The product is not classified as dangerous for carriage.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

### Further information

The product is not classified as dangerous for carriage.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations

U.S. FEDERAL REGULATIONS: Customcote binder. CERCLA 103 Reportable Quantity: This product contains the following CERCLA toxic chemicals subject to reporting requirements. Ammonia, aqua. (1336-21-6 , trace). Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

# Customcote (R) binder [NA]

Revision 4  
Revision date 2020-01-03

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

	<p>SARA TITLE III: Hazard Category For Section 311/312: chronic health</p> <p>Section 313 Toxic Chemicals: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None</p> <p>Section 302 Extremely Hazardous Substances (TPQ): None</p> <p>EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.</p> <p>U.S. STATE REGULATIONS California Proposition 65: This product contains the following substances known to the State of California to cause cancer: none.</p> <p>INTERNATIONAL REGULATIONS: Canadian WHMIS Classification: Not a controlled product.</p> <p>Canadian Environmental Protection Act: All of the components in this product are listed on the Domestic Substances List (DSL).</p>
--	--

## 15.2. Chemical safety assessment

	No data is available on this product.
--	---------------------------------------

## SECTION 16: Other information

### Other information

	<p>IARC and SCOEL publications In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However it pointed out that not all industrial circumstances, nor all crystalline silica types, were to be incriminated. (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.)</p> <p>In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore preventing the onset of silicosis will also reduce the cancer risk..."</p> <p>So there is a body of evidence supporting the fact that increased cancer risk would be limited to people already suffering from silicosis. Worker protection against silicosis should be assured by respecting the existing regulatory occupational exposure limits and implementing additional risk management measures where required.</p> <p>Training Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations.</p>
<b>Revision</b>	This document differs from the previous version in the following areas: 12 - 12.1. Toxicity.
<b>Text of Hazard Statements in Section 3</b>	<p>Flam. Liq. 3: H226 - Flammable liquid and vapour. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Muta. 2: H341 - Suspected of causing genetic defects . Carc. 2: H351 - Suspected of causing cancer . Repr. 2: H361 - Suspected of damaging fertility or the unborn child .</p>

### Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--