



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/7

SC20 and SC20 EW investment

Revision 4
Revision date 2022-07-11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name SC20 and SC20 EW investment

1.2. Relevant identified uses of the substance or mixture and uses advised against

Description Foundry material.

1.3. Details of the supplier of the safety data sheet

Company Ransom & Randolph
Address 3535 Briarfield Boulevard, PO Box 1570
Maumee, Ohio 43537 USA
Web www.ransom-randolph.com
Telephone +1 (419) 865-9497
Fax +1 (419) 865-9997
Email SDS@ransom-randolph.com
Email address of the competent person dyouel@ransom-randolph.com

1.4. Emergency telephone number

Emergency telephone number USA +1 419 865 9497
Company Ransom & Randolph Co.
08:00-17:00 (US Eastern Std. / GMT minus 5)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008 Carc. 1A: H350; STOT RE 1: H372;

2.2. Label elements

Hazard pictograms This substance / mixture has been classified in accordance with the US Federal OSHA Hazard Communication Standard 29CFR 1910.1200. Substance concentration band-ranges are presented, and minor ingredient composition maybe withheld, to protect trade secrets.



Signal Word

Danger

Hazard Statement

Carc. 1A: H350 - May cause cancer inhalation.
STOT RE 1: H372 - Causes damage to organs (lungs) through prolonged or repeated exposure inhalation.

Precautionary Statement:
Prevention

P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

SC20 and SC20 EW investment

Revision 4
Revision date 2022-07-11

2.2. Label elements

| | |
|--------------------------------------|---|
| Precautionary Statement: Response | P264 - Wash (hands) thoroughly after handling. |
| | P270 - Do not eat, drink or smoke when using this product. |
| | P280 - Wear protective gloves/protective clothing/eye protection/face protection. |
| | P285 - In case of inadequate ventilation wear respiratory protection. |
| Precautionary Statement: Storage | P308+P313 - IF exposed or concerned: Get medical advice/attention. |
| | P314 - Get medical advice/attention if you feel unwell. |
| Precautionary Statement: Disposal | P405 - Store locked up. |
| | Local and national regulations P501 - Dispose of contents/container to |

2.3. Other hazards

| | |
|---------------|---|
| Other hazards | Product contains respirable crystalline silica (RCS). |
|---------------|---|

Further information

| | |
|--|--|
| | Not applicable. PBT and vPvB assessment. |
|--|--|

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

| Chemical Name | Index No. | CAS No. | EC No. | REACH Registration Number | Conc. (%w/w) | Classification |
|-------------------------------------|-----------|------------|-----------|---------------------------|--------------|----------------------------------|
| silica - cristobalite USA | | 14464-46-1 | 238-455-4 | | 40 - 50% | Carc. 1A: H350; STOT RE 1: H372; |
| quartz > 10 % USA | | 14808-60-7 | 238-878-4 | | 30 - 40% | Carc. 1A: H350; STOT RE 1: H372; |
| calcium sulfate. (Plaster of Paris) | | 26499-65-0 | | | 20 - 30% | |

Further information

| | |
|--|---|
| | Full text for all Risk Phrases mentioned in this section are displayed in Section 16. |
|--|---|

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|--------------|---|
| Inhalation | Move the exposed person to fresh air. |
| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. |
| Skin contact | Wash with soap and water. |
| Ingestion | Drink 1 to 2 glasses of water. DO NOT INDUCE VOMITING. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|--------------|---|
| Inhalation | May cause irritation to respiratory system. |
| Eye contact | May cause irritation to eyes. |
| Skin contact | May cause irritation to skin. |
| Ingestion | May cause irritation to mucous membranes. |

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|--------------|---|
| Inhalation | Seek medical attention if irritation or symptoms persist. |
| Eye contact | Seek medical attention if irritation or symptoms persist. |
| Skin contact | Seek medical attention if irritation or symptoms persist. |
| Ingestion | Seek medical attention if irritation or symptoms persist. |

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--|---|
| | Use extinguishing media appropriate to the surrounding fire conditions. |
|--|---|

SC20 and SC20 EW investment

Revision 4
Revision date 2022-07-11

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Self-contained breathing apparatus. Wear suitable protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid raising dust.

6.2. Environmental precautions

Use appropriate container to avoid environmental contamination.

6.3. Methods and material for containment and cleaning up

Avoid raising dust. Clean the area using a vacuum cleaner. Transfer to suitable, labelled containers for disposal.

6.4. Reference to other sections

See section [2, 8 & 13] for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid formation of dust. Ensure adequate ventilation of the working area. < OEL: Occupational exposure limit. In case of insufficient ventilation, wear suitable respiratory equipment.

Do not eat, drink or smoke in areas where this product is used or stored. Wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed.

7.3. Specific end use(s)

Foundry material.

SECTION 8: Exposure controls/personal protection


8.1. Control parameters

all respirable crystalline silica - sum of all types - quartz + cristobalite TWA PEL OSHA (respirable fraction) 0.050 mg/m³
Action Level OSHA (respirable fraction) 0.025 mg/m³.

8.1.1. Exposure Limit Values

| | | |
|-------------------------------------|---|--|
| calcium sulfate. (Plaster of Paris) | WEL 8-hr limit ppm: - | WEL 8-hr limit mg/m ³ : - |
| | WEL 15 min limit ppm: - | WEL 15 min limit mg/m ³ : - |
| | WEL 8-hr limit mg/m ³ total 10 | WEL 15 min limit mg/m ³ total - |
| | inhalable dust: | inhalable dust: |
| | WEL 8-hr limit mg/m ³ total 4 | WEL 15 min limit mg/m ³ total - |
| | respirable dust: | respirable dust: |

8.2. Exposure controls



SC20 and SC20 EW investment

Revision 4
Revision date 2022-07-11

8.2. Exposure controls

| | |
|---|--|
| 8.2.1. Appropriate engineering controls | Ensure adequate ventilation of the working area. <. OEL: Occupational exposure limit. |
| 8.2.2. Individual protection measures | Wear: Protective clothing. applicable international Standards are. EN13982, ANSI 103 or =. |
| Eye / face protection | Avoid contact with eyes. Wear: Approved safety goggles. safety glasses with side-shields. applicable international Standards are. EN166, ANSI Z87.1 or =. |
| Skin protection - Handprotection | Avoid contact with skin. Wear suitable gloves. applicable international Standards are. EN374, ASTM F1001 or =. |
| Respiratory protection | Exposure above the recommended occupational exposure limit (OEL) may cause adverse health effects. After selection by a Qualified person. Wear: Suitable respiratory equipment. applicable international Standards are. EN140, EN143, ASTM F2704-10 or =. |
| 8.2.3. Environmental exposure controls | Use appropriate container to avoid environmental contamination. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---------------------------|---------------------------|
| Appearance | Powder |
| Colour | White |
| Odour threshold | Not applicable. |
| pH | 6 - 8 |
| Melting point | Not applicable. |
| Freezing Point | Not applicable. |
| Initial boiling point | Not applicable. |
| Flash point | No data available |
| Evaporation rate | Not applicable. |
| Flammability (solid, gas) | Not applicable. |
| Vapour pressure | No data available |
| Vapour density | Not applicable. |
| Relative density | 2.2 - 2.7 |
| Fat Solubility | Not applicable. |
| Partition coefficient | Not applicable. |
| Autoignition temperature | Not applicable. |
| Viscosity | No data available |
| Explosive properties | No data available |
| Oxidising properties | Not applicable. |
| Solubility | Slightly soluble in water |

9.2. Other information

| | |
|-----------------|-----------------|
| Conductivity | Not applicable. |
| Surface tension | Not applicable. |
| Gas group | Not applicable. |

SECTION 10: Stability and reactivity

10.1. Reactivity

| | |
|--|-----------------|
| | Not applicable. |
|--|-----------------|

10.2. Chemical stability

| | |
|--|---------------------------------|
| | Stable under normal conditions. |
|--|---------------------------------|

10.3. Possibility of hazardous reactions

| | |
|--|--|
| | |
|--|--|

SC20 and SC20 EW investment

Revision 4
Revision date 2022-07-11

10.3. Possibility of hazardous reactions

No Significant Hazard.

10.4. Conditions to avoid

Moisture.

10.5. Incompatible materials

No Significant Hazard.

10.6. Hazardous decomposition products

Hazardous Decomposition Products (silica): Crystalline silica will dissolve in hydrofluoric acid and produce silicone tetrafluoride. Reaction with water or acids generates heat.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------------------|--|
| Acute toxicity | Based on available data, the classification criteria are not met. |
| Skin corrosion/irritation | Prolonged or repeated exposure may cause irritation to skin and mucous membranes. |
| Serious eye damage/irritation | No irritation expected. |
| Respiratory or skin sensitisation | No sensitization effects reported. |
| Germ cell mutagenicity | No mutagenic effects reported. |
| Carcinogenicity | Known Human Carcinogens (Category 1). |
| Reproductive toxicity | No observed effect level. No observed effect concentration. |
| STOT-single exposure | No known adverse health effects. |
| STOT-repeated exposure | Chronic effects Prolonged inhalation of respirable crystalline silica In 1997, the International Agency for Research on Cancer (IARC) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However it pointed out that not all industrial circumstances, nor all crystalline silica types, were to be incriminated. (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibers, 1997, Vol. 68, IARC, Lyon, France). In June 2003, the European Commission's Scientific Committee for Occupational Exposure Limits (SCOEL) concluded: "that the main effect in humans of the inhalation of respirable crystalline silica is silicosis. There is sufficient information to conclude that the relative lung cancer risk is increased in persons with silicosis (and apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk. Since a clear threshold for silicosis development cannot be identified, any reduction of exposure will reduce the risk of silicosis." (SCOEL SUM Doc 94-final on respirable crystalline silica, June 2003) There is a body of evidence supporting the fact that increased cancer risk would be limited to people already suffering from silicosis. Worker protection against silicosis should be assured by respecting the existing regulatory occupational exposure limits and implementing additional risk management measures where required (see Section 16). |
| Aspiration hazard | No Significant Hazard. |
| Repeated or prolonged exposure | Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. |

11.1.4. Toxicological Information

SC20 and SC20 EW investment Oral Mouse LD50: 5000 mg/kg

SECTION 12: Ecological information

12.1. Toxicity

SC20 and SC20 EW investment

Revision 4
Revision date 2022-07-11

12.1. Toxicity

| | |
|-----------------------------|--------------------------------|
| SC20 and SC20 EW investment | Fish LC50/96h: 10000.0000 mg/l |
|-----------------------------|--------------------------------|

12.2. Persistence and degradability

| | |
|--|---------------------------------------|
| | No data is available on this product. |
|--|---------------------------------------|

12.3. Bioaccumulative potential

| | |
|--|-------------------------|
| | Does not bioaccumulate. |
|--|-------------------------|

Partition coefficient

| | |
|--|---|
| | SC20 and SC20 EW investment Not applicable. |
|--|---|

12.4. Mobility in soil

| | |
|--|-----------------|
| | Not determined. |
|--|-----------------|

12.5. Results of PBT and vPvB assessment

| | |
|--|-----------------|
| | Not determined. |
|--|-----------------|

12.6. Other adverse effects

| | |
|--|-----------------|
| | Not applicable. |
|--|-----------------|

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|--|--|
| | Dispose of in compliance with all. local and national regulations. |
|--|--|

Disposal methods

| | |
|--|--|
| | Contact a licensed waste disposal company. |
|--|--|

Disposal of packaging

| | |
|--|---|
| | Empty containers can be sent for disposal or recycling. |
|--|---|

SECTION 14: Transport information

14.1. UN number

| | |
|--|--|
| | The product is not classified as dangerous for carriage. |
|--|--|

14.2. UN proper shipping name

| | |
|--|--|
| | The product is not classified as dangerous for carriage. |
|--|--|

14.3. Transport hazard class(es)

| | |
|--|--|
| | The product is not classified as dangerous for carriage. |
|--|--|

14.4. Packing group

| | |
|--|--|
| | The product is not classified as dangerous for carriage. |
|--|--|

14.5. Environmental hazards

| | |
|--|--|
| | The product is not classified as dangerous for carriage. |
|--|--|

14.6. Special precautions for user

| | |
|--|--|
| | The product is not classified as dangerous for carriage. |
|--|--|

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

| | |
|--|--|
| | The product is not classified as dangerous for carriage. |
|--|--|

Further information

| | |
|--|--|
| | The product is not classified as dangerous for carriage. |
|--|--|

SECTION 15: Regulatory information

SC20 and SC20 EW investment

Revision 4
Revision date 2022-07-11

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| | |
|--------------------|--|
| Regulations | <p>U.S. FEDERAL REGULATIONS: SC20 family of investments. CERCLA 103 Reportable Quantity: is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.</p> <p>SARA TITLE III: Hazard Category For Section 311/312: Chronic health quartz.</p> <p>Section 313 Toxic Chemicals: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None</p> <p>Section 302 Extremely Hazardous Substances (TPQ): None</p> <p>EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.</p> <p>INTERNATIONAL REGULATIONS:</p> <p>Canadian Environmental Protection Act: All of the components in this product are listed on the Domestic Substances List (DSL).</p> <p>Canadian WHMIS Classification: Class D2A (Chronic toxic effects), D2A (Carcinogenicity).</p> |
|--------------------|--|

15.2. Chemical safety assessment

| | |
|--|---------------------------------------|
| | No data is available on this product. |
|--|---------------------------------------|

SECTION 16: Other information

Other information

| | |
|---|--|
| Text of Hazard Statements in Section 3 | <p>Carc. 1A: H350 - May cause cancer .</p> <p>STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure .</p> |
|---|--|

Further information

| | |
|--|---|
| | <p>Training Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations.</p> <p>The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.</p> |
|--|---|