

### SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/7

## R&R Glass-Cast 101 Bandust investment [EU]

Revision Revision date 2017-04-27

13ECTION 1: Identification of the substance/mixture and of the company/undertaking	SECTION 1: Identification of the substance/mixtu	ure and of the company/undertaking
--	--	------------------------------------

#### 1.1. Product identifier

**Product name** R&R Glass-Cast 101 Bandust investment [EU]

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Product Use** [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; Description Foundry material.

### 1.3. Details of the supplier of the safety data sheet

Company Ransom & Randolph Address 3535 Briarfield Boulevard,

Maumee, OH 43537 USA

Web www.ransom-randolph.com

+1 (419) 865-9497 **Telephone** Fax +1 (419) 865-9997 **Email** RR.SDS@dentsply.com Email address of the RR.SDS@dentsply.com competent person

### 1.4. Emergency telephone number

USA +1 419 865 9497 Emergency telephone number

Ransom & Randolph Co. Company

07:30 to 16:30 (Eastern Std. / GMT minus 5)

### SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

2.1.1. Classification -Xn; R48/20

1999/45/EC Symbols: Xn: Harmful.

Main hazards Harmful: danger of serious damage to health by prolonged exposure through inhalation.

2.1.2. Classification - EC STOT RE 1: H372;

1272/2008

### 2.2. Label elements

### Hazard pictograms



Signal Word

**Hazard Statement** 

STOT RE 1: H372 - Causes damage to organs (lungs) through prolonged or repeated exposure

inhalation.

**Precautionary Statement:** 

Prevention

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P264 - Wash (hands) thoroughly after handling.

P270 - Do no eat, drink or smoke when using this product.

ChemSoft EH&S

Powered by

Revision 0 Revision date 2017-04-27

### 2.2. Label elements

Precautionary Statement:	P314 - Get medical advice/attention if you feel unwell.
Response	
Precautionary Statement:	P501 - Dispose of contents/container to local and national regulations
Disposal	
2.3. Other hazards	

 2.5. Other nazards	
Other hazards	Product contains respirable crystalline silica (RCS).
	Not applicable. PBT and vPvB assessment.

### SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

### 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Silica (cristobalite)		14464-46-1	238-455-4		30 - 40%	% Xn; R48/20	
Calcium sulfate (Plaster of Paris)		26499-65-0			30 - 40%	0	
Quartz		14808-60-7	238-878-4		30 - 40%	% Xn; R48/20	

### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. Classification (%w/w)	M-factor.
Silica (cristobalite)		14464-46-1	238-455-4		30 - 40% STOT RE 1: H372;	
Calcium sulfate (Plaster of Paris)		26499-65-0			30 - 40%	
Quartz		14808-60-7	238-878-4		30 - 40% STOT RE 1: H372;	

### **Further information**

Full text for all Risk Phrases mentioned in this section are displayed in Section 16.

### SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.	
Skin contact	Wash with soap and water.	
Ingestion	Drink 1 to 2 glasses of water. DO NOT INDUCE VOMITING.	

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
Ingestion	May cause irritation to mucous membranes.

### 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention if irritation or symptoms persist.
Eye contact	Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Seek medical attention if irritation or symptoms persist.

### SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

Revision 0

		Revision date 2017-04-2	
5.2. Special hazards arising from	n the substance or mixture		
	Burning produces irritating, toxic and	l obnoxious fumes.	
5.3. Advice for firefighters			
	Self-contained breathing apparatus.	Wear suitable protective clothing.	
SECTION 6: Accidental relea	ase measures		
	ctive equipment and emergency proce	dures	
		le respiratory equipment when necessary.	
6.2. Environmental precautions			
	No environmental requirements.		
6.3. Methods and material for co	ontainment and cleaning up		
	Avoid raising dust. Clean the area us	sing a vacuum cleaner. Transfer to suitable, labelled container.	
6.4. Reference to other sections			
	See section [2, 8 & 13] for further inf	ormation.	
SECTION 7: Handling and s	torage		
7.1. Precautions for safe handlir	ng		
	Ensure adequate ventilation of the w	orking area. Avoid formation of dust. In case of insufficient	
	ventilation, wear suitable respiratory	equipment.	
	Do not eat, drink or smoke in areas	where this product is used or stored. Wash hands after	
	handling the product.	·	
7.2. Conditions for safe storage,	7.2. Conditions for safe storage, including any incompatibilities		
	Keep containers tightly closed.		
7.3. Specific end use(s)			
	Foundry material.		
SECTION 8: Exposure contr	ols/personal protection		
8.1. Control parameters			
	Ensure adequate ventilation of the w	orking area.	
8.1.1. Exposure Limit Values			
Calcium sulfate (Plaster of Paris)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -	
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -	
	WEL 8-hr limit mg/m3 total 10	WEL 15 min limit mg/m3 total -	
	inhalable dust: WEL 8-hr limit mg/m3 total 4	inhalable dust: WEL 15 min limit mg/m3 total  -	
	respirable dust:	respirable dust:	
Quartz	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3: 0.3	
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:	
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -	
	inhalable dust: WEL 8-hr limit mg/m3 total -	inhalable dust: WEL 15 min limit mg/m3 total -	
	respirable dust:	respirable dust:	

8.2. Exposure controls

Revision O Revision date 2017-04-27

### 8.2. Exposure controls





8.2.1. Appropriate engineering

controls

8.2.2. Individual protection

measures

Eye / face protection

Skin protection -Handprotection

Respiratory protection

8.2.3. Environmental exposure

controls

Occupational exposure controls

Ensure adequate ventilation of the working area.

Wear protective clothing.

In case of splashing, wear:. Approved safety goggles. safety glasses with side-shields.

Wear suitable gloves.

Suitable respiratory equipment.

Not normally required.

Appropriate local exhaust ventilation is required.

### SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance Powder

> Off white Colour

Odour Slight

Odour threshold Not applicable.

> 6 - 8 рΗ

Melting point No data available

Freezing Point Not applicable.

Initial boiling point Not applicable.

Flammability (solid, gas) Not applicable.

Vapour pressure Not applicable.

Vapour density Not applicable.

Relative density 2.5

Fat Solubility Not applicable.

Partition coefficient No data available

Autoignition temperature Not applicable.

> Viscosity No data available

Explosive properties Not applicable.

Oxidising properties Not applicable.

> Solubility Miscible in water

### 9.2. Other information

Conductivity

No data available

Surface tension No data available

Gas group Not applicable.

Benzene Content Not applicable.

Lead content Not applicable.

VOC (Volatile organic compounds)

Not applicable.

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

Not applicable.



Revision 0 Revision date 2017-04-27

10.2. Chemical stability			
	Stable under normal conditions.		
10.3. Possibility of hazardous re	10.3. Possibility of hazardous reactions		
	No Significant Hazard.		
10.4. Conditions to avoid			
	No Significant Hazard.		
10.5. Incompatible materials			
	No Significant Hazard.		
10.6. Hazardous decomposition products			
	Hazardous Decomposition Products (silica): Crystalline silica will dissolve in hydrofluoric acid and produce silicone tetrafluoride. Reaction with water or acids generates heat.		
SECTION 11: Toxicological i	information		

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity
Skin corrosion/irritation
Serious eye damage/irritation
Respiratory or skin
sensitisation
Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
STOT-single exposure
STOT-repeated exposure

Not applicable. Based on available data, the classification criteria are not met.

Not applicable. Based on available data, the classification criteria are not met.

Not applicable. Based on available data, the classification criteria are not met.

Not applicable. Based on available data, the classification criteria are not met.

Not applicable. Based on available data, the classification criteria are not met.

Not applicable. Based on available data, the classification criteria are not met.

Not applicable. Based on available data, the classification criteria are not met.

Not applicable. Based on available data, the classification criteria are not met.

#### Chronic effects

Prolonged inhalation of respirable crystalline silica

In 1997, the International Agency for Research on Cancer (IARC) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However it pointed out that not all industrial circumstances, nor all crystalline silica types, were to be incriminated. (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibers, 1997, Vol. 68, IARC, Lyon, France). In June 2003, the European Commission's Scientific Committee for Occupational Exposure Limits (SCOEL) concluded:

"that the main effect in humans of the inhalation of respirable crystalline silica is silicosis. There is sufficient information to conclude that the relative lung cancer risk is increased in persons with silicosis (and apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk. Since a clear threshold for silicosis development cannot be identified, any reduction of exposure will reduce the risk of silicosis."

(SCOEL SUM Doc 94-final on respirable crystalline silica, June 2003)

There is a body of evidence supporting the fact that increased cancer risk would be limited to people already suffering from silicosis. Worker protection against silicosis should be assured by respecting the existing regulatory occupational exposure limits and implementing additional risk management measures where required (see Section 16).

Aspiration hazard

Repeated or prolonged exposure

Not applicable. Based on available data, the classification criteria are not met.

Inhalation of dust may cause shortness of breath.

### 11.1.4. Toxicological Information

Not applicable.

### SECTION 12: Ecological information

Revision 0 Revision date 2017-04-27

12.1. Toxicity	Revision date 2017-04-21
	No data available
12.2. Persistence and degradal	bility
	Not applicable.
12.3. Bioaccumulative potential	
	Does not bioaccumulate.
Partition coefficient	
	R&R Glass-Cast 101 Bandust No data available investment [EU]
12.4. Mobility in soil	
·	Not determined.
12.5. Results of PBT and vPvB	assessment
	Not determined.
12.6. Other adverse effects	•
	Not applicable.
SECTION 13: Disposal cons	siderations
13.1. Waste treatment methods	
	Dispose of in compliance with all. local and national regulations.
Disposal methods	
	Contact a licensed waste disposal company.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.
Further information	-
	For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.
SECTION 14: Transport info	prmation
14.1. UN number	
	The product is not classified as dangerous for carriage.
14.2. UN proper shipping name	
	The product is not classified as dangerous for carriage.
14.3. Transport hazard class(es	3)
	The product is not classified as dangerous for carriage.
14.4. Packing group	-
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	•
	The product is not classified as dangerous for carriage.
14.6. Special precautions for us	
	The product is not classified as dangerous for carriage.
14.7. Transport in bulk according	ng to Annex II of MARPOL 73/78 and the IBC Code
	The product is not classified as dangerous for carriage.

Revision 0 Revision date 2017-04-27

**Further information** 

The product is not classified as dangerous for carriage.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Regulations

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

### 15.2. Chemical safety assessment

No data is available on this product.

### SECTION 16: Other information

### Other information

Training

Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations.

Social Dialogue on Respirable Crystalline Silica

A multi-sectoral social dialogue agreement on Workers Health Protection through the Good Handling and Use of Crystalline Silica and Products Containing it was signed on 25 April 2006. This autonomous agreement, which receives the European Commission's financial support, is based on a Good Practices Guide. The requirements of the Agreement came into force on 25 October 2006. The Agreement was published in the Official Journal of the European Union (2006/C 279/02). The text of the Agreement and its annexes, including the Good Practices Guide, are available from http://www.nepsi.eu and provide useful information and guidance for the handling of products containing respirable crystalline silica. Literature references are available on request from EUROSIL, the European Association of Industrial Silica Producers,.

STOT RE1: H372 - DANGER - Causes damage to lungs through prolonged or repeated exposure by inhalation.

Text of risk phrases in Section 3

R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation.

Text of Hazard Statements in Section 3

STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure .

### **Further information**

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

