

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/6

Matrixcote (R) X2 blend

Revision 1 **Revision date** 2019-07-15

	,					
SECTION 1: Identification o	SECTION 1: Identification of the substance/mixture and of the company/undertaking					
1.1. Product identifier						
Product name	Matrixcote (R) X2 blend					
1.2. Relevant identified uses o	f the substance or mixture and uses advised against					
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites;					
Description	Foundry material.					
1.3. Details of the supplier of t	he safety data sheet					
Company	Ransom & Randolph					
Address	3535 Briarfield Boulevard, PO Box 1570 Maumee, Ohio 43537 USA					
Web	www.ransom-randolph.com					
Telephone	+1 (419) 865-9497					
Fax	+1 (419) 865-9997					
Email	RR.SDS@dentsply.com					
Email address of the competent person	RR.SDS@dentsply.com					
1.4. Emergency telephone nun	nber					
Emergency telephone number	USA +1 419 865 9497					
Company	Ransom & Randolph Co.					
	08:00-17:00 (US Eastern Std. / GMT minus 5)					

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC	Skin Sens. 1: H317
1272/2008	

2.2. Label elements

2.2. 2000. 0.0	
Hazard pictograms	
Signal Word	Warning
Hazard Statement	Skin Sens. 1: H317 - May cause an allergic skin reaction.
Precautionary Statement: Prevention	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P302+P352 - IF ON SKIN: Wash with plenty of water/ . P321 - Specific treatment (see on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to local and national regulations

Revision 1 Revision date 2019-07-15

Further information

Not applicable. PBT and vPvB assessment.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
2,2',2"-	613-114-00-6	4719-04-4	225-208-0		0.5 - 1%	Acute Tox. 4: H302; Skin
(Hexahydro-1,3,5-triazine-1,3,5-triy	I					Sens. 1: H317;
triethanol						

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Immediate medical attention is required.
Skin contact	Remove all contaminated clothes and footwear immediately unless stuck to skin. Rinse immediately with plenty of water.
Ingestion	Drink 1 to 2 glasses of water. If swallowed, rinse mouth with water (only if the person is conscious).

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.				
Eye contact	May cause irritation to eyes.				
Skin contact	May cause sensitisation by skin contact.				
Ingestion	May cause irritation to mucous membranes.				

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention if irritation or symptoms persist.			
Eye contact	Seek medical attention if irritation or symptoms persist.			
Skin contact	Seek medical attention if irritation or symptoms persist.			
Ingestion	Seek medical attention if irritation or symptoms persist.			

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Self-contained breathing apparatus. Wear suitable protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear suitable protective equipment.

6.2. Environmental precautions

Do not allow product to enter drains.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled container.

6.4. Reference to other sections

See section [2, 8 & 13] for further information.

Revision 1 Revision date 2019-07-15

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Do NOT allow to freeze. Keep in a cool, dry, well ventilated area. Keep containers tightly closed.

7.3. Specific end use(s)

Foundry material.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ensure adequate ventilation of the working area.

8.1.1. Exposure Limit Values

Ethanolamine (2-Aminoethanol)	WEL 8-hr limit ppm: 1	WEL 8-hr limit mg/m3: 2.5
	WEL 15 min limit ppm: 3	WEL 15 min limit mg/m3: 7.6
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

8.2. Exposure controls





8.2.1. Appropriate engineering controls8.2.2. Individual protection

measures

Eye / face protection

Skin protection - Handprotection

Respiratory protection

Ensure adequate ventilation of the working area.

Apron (Plastic or rubber).

Approved safety goggles.

Wear suitable gloves.

Suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision Revision date 2019-07-15

9.1. Information on basic physical and chemical properties

Appearance Liquid Colour Off white Odour Slight **pH** 9

1.01 (H2O = 1 @ 20 °C) Relative density

Miscible in water

Partition coefficient No data available Evaporation rate No data available

Vapour pressure No data available No data available Vapour density

Viscosity No data available

Freezing Point ≈ 0 °C Initial boiling point ≈ 100 °C

Melting point Not applicable.

Flammability (solid, gas) Not applicable.

Autoignition temperature Not applicable.

Fat Solubility Not applicable.

Explosive properties Not applicable.

Oxidising properties Not applicable.

Solubility

Miscible in water

9.2. Other information

Conductivity No data available Surface tension No data available Gas group Not applicable.

Benzene Content Not applicable.

Lead content Not applicable.

VOC (Volatile organic compounds)

Not applicable.

SECTION 10: Stability and reactivity

10.1. Reactivity

Not applicable.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No Significant Hazard.

10.4. Conditions to avoid

Direct sunlight. Do NOT allow to freeze.

10.5. Incompatible materials

Sodium chloride.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	No data is available on this product.
Skin corrosion/irritation	May cause irritation to skin.

Powered by

Revision 1 Revision date 2019-07-15

	Revision date 2019-07-19
11.1. Information on toxicologi	cal effects
Serious eye damage/irritation	May cause irritation to eyes.
Respiratory or skin sensitisation	May cause sensitisation by skin contact.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT-single exposure	Based on available data, the classification criteria are not met.
STOT-repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Repeated or prolonged exposure	May cause irritation to skin.
11.1.4. Toxicological Information	on
Matrixcote (R) X2 blend	Oral Rat LD50: >2000 mg/kg
SECTION 12: Ecological int	formation
12.1. Toxicity	
Matrixcote (R) X2 blend	Daphnia EC50/48h: 100.000 mg/l Fish LC50/96h: 100.000 mg/l
	Algae EC50/72h: >100
12.2. Persistence and degrada	hility
12.2. Persistence and degrada	
10.0.0	No data is available on this product.
12.3. Bioaccumulative potentia	il
	Does not bioaccumulate.
Partition coefficient	
I di dicioni dodinicioni	Matrixcote (R) X2 blend No data available
	Matrixcote (N) A2 Dietiu No data available
12.4. Mobility in soil	
	Not determined.
12.5. Results of PBT and vPvB	assessment
	Not applicable.
12.6. Other adverse effects	тос арриодые.
12.6. Other adverse effects	Net and Backla
	Not applicable.
SECTION 13: Disposal con	siderations
13.1. Waste treatment methods	\$
	Dispose of in compliance with all. local and national regulations.
Disposal methods	
	Contact a licensed waste disposal company.
Disposal of packaging	<u> </u>
, ,	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.
Further information	25 1.5 . 15455 Shipty Somamors. Empty Containers out 55 Soft for disposal of focyoning.
i urtiler imormation	For discoord within the FO the appropriate and a series of the Foreign Control of the Forei
	For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.
SECTION 14: Transport info	ormation
·	

Revision Revision date 2019-07-15

1	4.1	L.	IJ	N	n	п	m	h	e	ľ

	The product is not classified as dangerous for carriage.					
14.2. UN proper shipping name						
	The product is not classified as dangerous for carriage.					
14.3. Transport hazard class(e	s)					
	The product is not classified as dangerous for carriage.					
14.4. Packing group						
	The product is not classified as dangerous for carriage.					
14.5. Environmental hazards						
	The product is not classified as dangerous for carriage.					
14.6. Special precautions for user						
	The product is not classified as dangerous for carriage.					
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code						
	The product is not classified as dangerous for carriage.					
Further information						
	The product is not classified as dangerous for carriage.					

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Reau	ılations
· vege	nations

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No data is available on this product.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.	
	3 - Further information.	
	12 - 12.1. Toxicity.	
Text of Hazard Statements in	Acute Tox. 4: H302 - Harmful if swallowed.	
Section 3	Skin Sens. 1: H317 - May cause an allergic skin reaction.	
Further information		

ChemSoft EH&S

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.