

## SAFETY DATA SHEET

**ACCORDING TO US CFR 1910.1200** 

# 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name SculptaCast™ Earth™ PZ-A 415D Brown.

CAS No. Mixtures. EINECS No. Mixtures.

1.2 Relevant identified uses of the substance or

mixture and uses advised against

Identified use(s) Production of disposable patterns and/or sprues for use in

the art casting process. Industrial use only, not intended for

public use. None known.

Uses advised against

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Precizioned® distributed/manufactured by International

Precision Casting Supplies

1570 Terex Road Hudson, Ohio 44236 +13303420407

Telephone +13303420407

E-Mail (competent person) nnawalaniec@ipcs-uk.com

1.4 Emergency telephone number

Company +13303420407 (office hours: 0800 – 1700 EST)

#### 2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

US CFR 1910.1200 Not classified as dangerous for supply/use.

2.2 Label elements

Product Name SculptaCast™ Earth™ PZ-A 415D Brown.

Hazard pictogram(s)None.Signal word(s)None.Hazard statement(s)None.Precautionary statement(s)None.

2.3 Other hazards The molten form can cause thermal burns if in contact with

skin or eyes.

2.4 Additional Information None.

Revision: 2 Page: 1/6 Date: 11/02/2016



#### 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Contains: A blend of hydrocarbon and natural waxes, resins, polymers, and oil soluble dye.

#### 3.1 Mixtures

Hazardous Ingredient(s)	CAS No.	%W/W
Paraffin waxes and Hydrocarbon waxes	8002-74-2	30 - 50

#### 3.2 Additional Information

None.

#### **SECTION 4: FIRST AID MEASURES**



4.3

5.3

Description of first aid measures

Inhalation Unlikely route of exposure.

If breathing is difficult, remove victim to fresh air and keep at

rest in a position comfortable for breathing.

Skin Contact In case of burns immediately cool affected skin as long as

possible with cold water. Molten material can cause severe burns. Do NOT try to peel molten material from the skin.

Cool rapidly with water. Get medical attention.

Eye Contact Hold eye open and rinse slowly and gently with water for 15-

20 minutes. Get medical attention.

Wash out mouth with water. Ingestion

4.2 Most important symptoms and effects, both Molten material will adhere to the skin causing deep thermal

acute and delayed

Indication of any immediate medical attention

and special treatment needed

Unlikely to be required but if necessary treat symptomatically. Seek medical advice.

## 5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media** 

> Suitable Extinguishing Media Extinguish preferably with foam, carbon dioxide or dry

> > chemical.

Unsuitable Extinguishing Media Do not use water jet.

5.2 Special hazards arising from the substance or

mixture

Decomposes in a fire giving off toxic fumes: Carbon

monoxide, Carbon dioxide.

Advice for fire-fighters Fire fighters should wear complete protective clothing

including self-contained breathing apparatus.

#### 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1

emergency procedures

Personal precautions, protective equipment and Caution - spillages may be slippery. When molten: Avoid contact with skin and eyes. Wash hands thoroughly after

handling.

6.2 **Environmental precautions** Prevent release to the environment.

Revision: 2 Page: 2/6 Date: 11/02/2016



6.3 Methods and material for containment and

cleaning up

Sweep up solid substance. When molten: Allow product to cool/solidify and pick up as a solid. Wipe up remainder then

remove to safe place.

6.4 Reference to other sections

See Also Section: 8, 13.

#### 7. SECTION 7: HANDLING AND STORAGE

Conditions for safe storage, including any

**7.1 Precautions for safe handling** Provide adequate ventilation. Avoid breathing fumes. Avoid

contact with heated or molten product. Do not eat, drink or smoke when using this product. Wear suitable gloves. Keep container tightly closed and dry. This product should be stored away from sources of strong heat, direct sunlight

or oxidising chemicals.

5 - 30°C

Storage Temperature

Storage Life Incompatible materials

incompatibilities

7.2

Stable under normal conditions.

Strong oxidising agents.

## 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Paraffin wax fumes may be released from the product when in the molten state.

SUBSTANCE	CAS No.	LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	Note
		ppm)	mg/m³)	(ppm)	(mg/m³)	
Paraffin waxes and	8002-74-2	-	2	-	6	NIOSH
Hydrocarbon waxes						

Source: NIOSH = National Institute of Occupational Safety & Health

**8.2** Appropriate engineering controls Provide adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection Wear eye/face protection.



Skin protection (Hand protection/ Other)



Not normally required.

Wear suitable gloves if prolonged skin contact is likely.

Respiratory protection



No personal respiratory protective equipment normally required. Wear suitable respiratory protective equipment if exposure to levels above the occupational exposure limit is

likely.

Thermal hazards When molten: Wear insulating gloves EN407 (heat), and

eye protection.

Revision: 2 Page: 3/6 Date: 11/02/2016



#### 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical

properties

Appearance Solid (Wax). Colour Brown. Odour Waxy. Odour Threshold Not available. Not applicable. Melting Point/Freezing Point ~136°F Initial boiling point and boiling range Not available. Flash point >185°C [Open cup] Evaporation rate Not applicable. Flammability (solid, gas) Non-flammable. Upper/lower flammability or explosive limits Not applicable. Vapour pressure Not applicable. Not applicable. Vapour density Relative density Not available. Solubility(ies) Insoluble in water. Partition coefficient: n-octanol/water Not available. Auto-ignition temperature Not available. **Decomposition Temperature** Not available.

Viscosity 23.0 cPs @ 200°F
Explosive properties Not explosive.
Oxidising properties Not oxidising.
Other information None.

# 10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No hazardous reactions known if used for its intended

purpose.

10.4 Conditions to avoid Heat and direct sunlight.
 10.5 Incompatible materials Strong oxidising agents.

10.6 Hazardous Decomposition Product(s) No hazardous decomposition products known.

## 11. SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

11.1.1 Mixtures

9.2

Acute toxicityLow acute toxicity.IrritationNon-irritant.

Corrosivity The molten form can cause thermal burns if in contact with

skin or eyes.

Sensitisation It is not a skin sensitiser.

Repeated dose toxicity None anticipated.

Carcinogenicity No evidence of carcinogenicity.

**Mutagenicity** There is no evidence of mutagenic potential.

**Toxicity for reproduction** None anticipated.

Revision: 2 Page: 4/6 Date: 11/02/2016



11.2 Other information None.

## 12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Low toxicity to aquatic organisms. Persistence and degradability 12.2 No information available. 12.3 Bioaccumulative potential No information available.

12.4 Mobility in soil Insoluble in water. The product is predicted to have low

mobility in soil.

12.5 Other adverse effects None.

#### 13. SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods 13.1 Dispose at suitable refuse site.

13.2 **Additional Information** Disposal should be in accordance with local, state or

national legislation.

## 14. SECTION 14: TRANSPORT INFORMATION

Not classified as dangerous for transport.

14.1	UN number	Not applicable.
14.2	UN Proper Shipping Name	Not applicable.
14.3	Transport hazard class(es)	Not applicable.
14.4	Packing Group	Not applicable.
14.5	Environmental hazards	Not applicable.
14.6	Special precautions for user	Not applicable.
14.7	Transport in bulk according to Annex II of	Not applicable.
	MARPOL73/78 and the IBC Code	

### 15. SECTION 15: REGULATORY INFORMATION

Safety, health and environmental

regulations/legislation specific for the substance

or mixture

15.1.1 OSHA

Toxic and hazardous substances (29 CFR 1910;

Subpart Z)

All chemicals are not listed.

15.1.2 Title III Consolidated List of Lists All chemicals are not listed.

15.1.3 OSPAR List of Chemicals for Priority Action All chemicals are not listed.

15.1.4 State Right to Know Lists Paraffin waxes and Hydrocarbon waxes

(CAS No.: 8002-74-2): California, Pennsylvania,

Massachusetts, Minnesota.

15.1.5 TSCA (Toxic Substance Control Act) All chemicals listed.

15.1.6 Proposition 65 (California) All chemicals are not listed. All chemicals are not listed. 15.1.7 CAA 602 - Ozone Depleting Substances (ODS)

15.1.8 International Agency for Research on Cancer All chemicals are not listed.

Revision: 2 Page: 5/6 Date: 11/02/2016



15.1.9 National Toxicology Program

All chemicals are not listed.

#### 16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

NFPA		HMIS		
Health	0	Health	0	
Fire	0	Flammability	0	
Instability	0	Physical hazards	0	

#### **LEGEND**

LTEL Long Term Exposure Limit STEL Short Term Exposure Limit

NFPA NFPA (National Fire Protection Association)
HMIS HMIS (Hazardous Material Information System)
OSHA Occupational Safety and Health Administration

#### **Disclaimers**

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Precizioned® distributed/manufactured by International Precision Casting Supplies gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Precizioned® distributed/manufactured by International Precision Casting Supplies accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: 2 Page: 6/6 Date: 11/02/2016